

Distribution Tables
2004 Behavioral Risk Factor Surveillance System (BRFSS)

These distribution tables supplement risk tables which have been placed on the North Dakota Department of Health web site for the BRFSS. The data is derived from a random telephone sample which has been statistically weighted to the age and sex distribution of the population. The percentages provided are expected to be reasonably representative of the non-institutionalized population of North Dakota adults 18 years and older.

Risk tables and distribution tables answer different questions as follows:

Risk tables: Among all respondents within a population stratum (e.g, ages 18 to 24), what percentage have the risk factor. Risk tables are more likely to answer the questions most users are looking to answer.

Distribution tables: Among all survey respondents with the risk factor (e.g., diabetes), what percent of them fall into specific population strata (e.g., various age groups)? For example, what percentage of all respondents with diabetes are in the 18-24 year age group?

TABLES

ALCOHOL R1: At Risk for Binge Drinking

ALCOHOL R2: At Risk for Heavy Drinking

ASTHMA R1: At Risk for Ever Having Asthma

BODY WEIGHT AND OBESITY R1: At Risk for Overweight

BODY WEIGHT AND OBESITY R3: At Risk for Obesity

COLORECTAL CANCER R1: At Risk for No Blood Stool Test in Two Years

DIABETES R1: At Risk for Diabetes

DISABILITY AND QOL R1: At risk for Disability

HIV/AIDS R1: At Risk for Not Being Told That Condom Use Prevents STDs

HIV/AIDS R2: At Risk for Ever Tested For HIV

HEALTH CARE ACCESS R1: At Risk for No Health Insurance

HEALTH CARE ACCESS R2: At Risk for No Personal Health Care Provider

HEALTH CARE ACCESS R3: At Risk for No Health Care Due to Cost

HEALTH STATUS R1: At Risk for Fair or Poor General Health

ORAL HEALTH R2: At Risk for No Dental Visit in the Past Year

PHYSICAL ACTIVITY R4: At Risk for No Leisure Time Physical Activity

PROSTATE CANCER R1: At Risk for No PSA Test in Two Years

SUN EXPOSURE R1: At Risk for Sun Exposure

TOBACCO USE R1: At Risk for Current Smoking

TOBACCO USE R3: At Risk for Not Quitting Smoking for a Day or Longer

VACCINATION R1: At Risk for No Flu Shot in the Past 12 Months

VACCINATION R2: At Risk for Never Having Pneumococcal Vaccine

WOMEN'S HEALTH R1: At Risk for No Mammogram in Two Years

WOMEN'S HEALTH R2: At Risk for No PAP Smear in Three Years

R1: At Risk For Binge Drinking

Selected Characteristics Of Respondents Who are Binge Drinkers, 2004			
Characteristics	# of binge drinkers	Among respondents who are binge drinkers, % distribution by subgroup	95% Confidence Interval
Total	498	100	
Age Group (years)			
18 – 24	76	30.6	25.0-36.3
25 – 34	131	24.9	20.7-29.2
35 – 44	127	20.9	17.3-24.7
45 – 54	100	15.0	11.9-18.1
55 – 64	47	6.2	4.3-8.0
65+	17	2.4	1.2-3.6
Sex			
Male	342	72.9	68.4-77.3
Female	156	27.1	22.7-31.6
Race			
White	465	91.8	88.5-95.0
Amer. Indian	20	5.0	2.5-7.5
Other	12	3.2	1.0-5.4
Education			
Less than H.S.	21	4.3	2.2-6.3
H.S. Grad	153	31.0	26.1-35.9
Some College	183	37.5	32.3-42.6
College Grad	141	27.2	22.7-31.8
Household Income			
\$0 – 14,999	40	10.7	6.7-14.7
\$15,000 – 24,999	77	16.8	12.6-21.1
\$25,000 – 49,999	188	37.8	32.7-42.9
\$50,000 – 74,999	104	20.7	16.8-24.5
\$75,000+	64	14.0	10.3-17.7
Marital Status			
Married	255	48.5	43.5-53.5
Divorced	82	10.2	7.8-12.7
Widowed	7	0.5	0.1-0.9
Separated	3	0.3	0-0.7
Never Married	122	32.0	26.6-37.5

Member of Unmarried Couple	28	8.5	5.2-11.7
Employment			
Employed	424	81.8	77.3-86.3
Not Employed	12	2.5	0.6-4.4
Student/Homeworker	38	12.5	8.3-16.6
Retired/Unable to Work	24	3.2	1.8-4.6
Health Plan			
Health Coverage	404	79.6	75.1-84.1
Don't Have Coverage	90	20.4	15.9-24.9
Other variables			
Disability			
Yes	42	6.5	4.4-8.7
No	441	93.5	91.3-95.6
Child in the Home			
Yes	217	42.3	37.2-47.4
No	280	57.7	52.6-62.8
General Health			
Excellent, very good, good	455	93.0	90.5-95.4
Fair, poor	43	7.0	4.6-9.5
14+ Days: stress, depression, emotions			
Yes	35	6.3	3.9-8.7
No	461	93.7	91.3-96.1
Diabetes			
Yes	13	2.5	0.8-4.2
Only during pregnancy	2	0.3	0-0.6
No	483	97.2	95.5-98.9

Table Type	Distribution of characteristics among persons with risk factor
Definition:	R1: At Risk For Binge Drinking: Respondents who reported 5 or more drinks on one occasion one or more times in the past 30 days
Denominator:	Respondents Who Are Binge Drinkers

R2: At Risk For Heavy Drinking

Selected Characteristics of North Dakota Adults Who Heavy Drink, 2004			
Characteristics	# heavy drinking	Among respondents who are heavy drinkers, % distribution by subroup	95% Confidence Interval
Total	126	100	
Age Group (years)			
18 – 24	21	38.0	26.1-49.9
25 – 34	30	21.4	13.6-29.4
35 – 44	23	14.8	8.5-21.1
45 – 54	20	10.1	5.3-14.8
55 – 64	13	6.5	2.7-10.2
65+	19	9.2	4.7-13.7
Sex			
Male	68	59.2	48.4-70.0
Female	58	40.8	30.0-51.6
Race			
White	116	92.1	86.3-97.8
Amer. Indian	7	4.2	0.9-7.5
Other	3	3.7	0-8.7
Education			
Less than H.S.	9	6.3	1.2-11.5
H.S. Grad	32	23.1	14.2-32.1
Some College	55	45.8	34.5-57.1
College Grad	30	24.8	14.7-34.8
Household Income			
\$0 – 14,999	18	20.4	10.3-30.4
\$15,000 – 24,999	12	11.7	2.1-21.2
\$25,000 – 49,999	48	37.1	26.6-47.7
\$50,000 – 74,999	19	14.7	8.1-21.3
\$75,000+	16	16.1	7.6-24.7
Marital Status			
Married	60	40.1	30.8-49.4
Divorced	19	11.1	5.3-16.9
Widowed	7	2.1	0.5-3.8
Separated	-	-	-
Never Married	31	38.8	26.8-50.8

Member of Unmarried Couple	9	7.8	1.8-13.9
Employment			
Employed	92	70.5	59.4-81.6
Not Employed	1	0.2	0-0.7
Student/Homeworker	13	19.4	8.5-30.3
Retired/Unable to Work	19	9.8	5.0-14.7
Health Plan			
Health Coverage	101	78.8	69.8-87.7
Don't Have Coverage	24	21.2	12.2-30.2
Other variables			
Disability			
Yes	17	10.3	5.0-15.6
No	108	89.7	84.4-94.9
General Health			
Excellent, very good, good	115	91.4	85.7-97.2
Fair, poor	11	8.6	2.8-14.3
14+ Days: sad, blue, depressed			
Yes	10	6.5	2.1-11.0
No	115	93.5	89.0-97.9
Overweight or Obese			
Yes	72	51.9	40.3-63.5
No	51	48.1	36.5-59.7

Table Type	Distribution of characteristics among persons with risk factor
Definition:	R1: At Risk For Heavy Drinking: Respondents who reported that they heavy drink everyday or at least some days each week. Heavy drinking is defined as having greater than 2 drinks per day for men, and 1 drink per day for women
Denominator:	Respondents Who Heavy Drink

R1: At Risk For Ever Having Asthma

Selected Characteristics Of Respondents Ever Told Had Asthma, 2004			
Characteristics	# ever told had asthma	Among respondents ever told had asthma, % distribution by subgroup	95% Confidence Interval
Total	323	100	
Age Group (years)			
18 – 24	26	18.7	12.2-25.2
25 – 34	51	18.5	13.5-23.5
35 – 44	56	15.6	11.4-19.9
45 – 54	65	16.6	12.4-20.8
55 – 64	47	11.5	8.1-14.9
65+	77	19.1	14.8-23.4
Sex			
Male	130	49.2	42.8-55.7
Female	193	50.8	44.3-57.2
Race			
White	293	90.0	85.8-94.3
Amer. Indian	14	5.4	2.1-8.6
Other	13	4.6	1.7-7.6
Education			
Less than H.S.	41	11.5	7.5-15.5
H.S. Grad	87	31.6	25.2-37.9
Some College	100	28.3	22.7-33.9
College Grad	95	28.6	23.1-34.1
Household Income			
\$0 – 14,999	46	12.9	8.5-17.4
\$15,000 – 24,999	61	20.4	15.0-25.8
\$25,000 – 49,999	104	36.3	29.8-42.8
\$50,000 – 74,999	54	20.4	15.0-25.8
\$75,000+	30	10.0	6.3-13.6
Marital Status			
Married	187	58.7	52.3-65.0
Divorced	45	9.1	6.1-11.9
Widowed	36	6.8	4.5-9.2
Separated	1	0.1	0-0.3
Never Married	47	22.2	15.7-28.6

Member of Unmarried Couple	7	3.1	0.6-5.6
Employment			
Employed	199	65.2	59.3-71.4
Not Employed	12	4.8	1.6-7.9
Student/Homeworker	30	10.4	6.4-14.4
Retired/Unable to Work	82	19.6	15.3-23.9
Health Plan			
Health Coverage	275	81.1	75.4-86.8
Don't Have Coverage	46	18.9	13.2-24.5
Other variables			
Disability			
Yes	97	26.1	20.8-31.4
No	218	73.9	68.6-79.2
Current Smoking			
Yes	66	20.1	14.7-25.5
No	256	79.9	74.5-85.2
Overweight or Obese			
Yes	202	64.0	57.3-70.6
No	100	36.0	29.4-42.6
General Health			
Excellent, very good, good	232	74.9	69.2-80.5
Fair, poor	89	25.1	19.5-30.8

Table Type	Distribution of characteristics among persons with risk factor
Definition:	R1: At Risk For Ever Having Asthma: Respondents Ever Told Had Asthma
Denominator:	Respondents Ever Told Had Asthma

R1: At Risk For Overweight

Selected Characteristics Of Respondents Who Are Overweight (BMI 25.0-29.9), 2004			
Characteristics	# overweight	Among respondents currently overweight, % distribution by subgroup	95% Confidence Interval
Total	1119	100	
Age Group (years)			
18 – 24	56	12.3	9.0-15.6
25 – 34	141	14.5	12.1-16.8
35 – 44	201	18.5	16.0-21.1
45 – 54	241	18.8	16.4-21.2
55 – 64	191	13.9	11.9-15.9
65+	285	22.0	19.5-24.5
Sex			
Male	605	60.1	56.9-63.3
Female	514	39.9	36.7-43.1
Race			
White	1050	93.1	90.9-95.3
Amer. Indian	29	3.7	1.9-5.6
Other	30	3.2	1.9-4.4
Education			
Less than H.S.	87	7.7	5.6-9.8
H.S. Grad	350	29.7	26.8-32.7
Some College	369	34.4	31.1-37.7
College Grad	311	28.2	25.1-31.2
Household Income			
\$0 – 14,999	80	6.7	4.9-8.5
\$15,000 – 24,999	176	16.7	14.0-19.4
\$25,000 – 49,999	371	37.4	34.1-40.9
\$50,000 – 74,999	204	21.6	18.7-24.4
\$75,000+	170	17.6	14.8-20.3
Marital Status			
Married	692	65.5	62.1-68.9
Divorced	128	7.6	6.2-9.0
Widowed	126	7.1	5.8-8.4
Separated	8	0.4	0.1-0.6
Never Married	140	15.8	12.6-18.9

Member of Unmarried Couple	23	3.6	2.0-5.3
Employment			
Employed	757	70.3	67.2-73.3
Not Employed	24	2.7	0.1-4.4
Student/Homeworker	82	8.1	6.2-10.0
Retired/Unable to Work	254	18.9	16.6-21.3
Health Plan			
Health Coverage	1015	89.6	87.1-92.0
Don't Have Coverage	101	10.4	8.0-12.9
General Health			
Excellent, very good, good	990	89.7	87.7-91.6
Fair, poor	125	10.3	8.4-12.3
Diabetes			
Yes	77	5.9	4.5-7.3
Only during pregnancy	8	0.7	0.2-1.1
No	1026	92.9	91.4-94.4
No, pre-diabetic	7	0.5	0.1-0.9
14+ Days: stress, depression, emotional			
Yes	62	6.0	4.3-7.7
No	1039	94.0	92.3-95.7
Current Smokers			
Yes	197	18.3	15.6-20.9
No	919	81.7	79.1-84.4
Binge drinkers			
Yes	191	20.5	17.6-23.5
No	914	79.5	76.5-82.4
Disability			
Yes	168	13.7	11.5-15.8
No	930	86.3	84.1-88.5

Table Type	Distribution of characteristics among persons with risk factor
Definition:	R1: At Risk For Overweight: Respondents with BMI greater than or equal to 25 but less than 30
Denominator:	Respondents who are currently overweight

R3: At Risk For Obesity

Selected Characteristics Of Respondents Who are Currently Obese (BMI 30+), 2004			
Characteristics	# of obese	Among respondents currently obese, % distribution by subgroup	95% Confidence Interval
Total	734	100	
Age Group (years)			
18 – 24	27	8.4	5.1-11.8
25 – 34	81	13.5	10.5-16.4
35 – 44	150	20.8	17.6-24.0
45 – 54	180	21.9	18.7-25.1
55 – 64	142	16.7	13.9-19.5
65+	153	18.7	15.7-21.8
Sex			
Male	357	55.5	51.4-59.5
Female	377	44.5	40.5-48.5
Race			
White	670	90.1	87.2-92.9
Amer. Indian	33	5.9	3.7-8.1
Other	25	4.0	2.1-6.0
Education			
Less than H.S.	74	10.4	7.8-12.9
H.S. Grad	221	30.6	26.8-34.5
Some College	255	35.0	31.1-38.9
College Grad	184	24.0	20.6-27.3
Household Income			
\$0 – 14,999	66	7.1	5.3-9.0
\$15,000 – 24,999	129	18.7	15.3-22.1
\$25,000 – 49,999	280	42.5	38.2-46.7
\$50,000 – 74,999	115	18.9	15.5-22.3
\$75,000+	81	12.8	10.0-15.6
Marital Status			
Married	464	69.1	65.2-72.9
Divorced	97	9.0	7.1-10.9
Widowed	72	6.4	4.7-8.2
Separated	7	0.6	0.1-1.0
Never Married	80	11.7	8.4-14.9
Unmarried Couple	14	3.2	1.4-5.1

Employment			
Employed	507	70.1	66.9-74.4
Not Employed	25	3.3	1.7-4.9
Student/Homeworker	46	7.3	4.9-9.7
Retired/Unable to Work	155	18.7	15.7-21.7
Health Plan			
Health Coverage	623	81.8	78.2-85.4
Don't Have Coverage	107	18.2	14.6-21.8
Other variables			
General Health			
Excellent, very good, good	580	79.1	75.6-82.5
Fair, poor	154	20.9	17.4-24.4
Diabetes			
Yes	90	10.8	8.4-13.3
Only during pregnancy	7	0.8	0.2-1.4
No	629	87.4	84.8-90.0
No, pre-diabetes	8	1.0	0.2-1.7
No Leisure Time Physical Activity			
Yes	520	73.7	70.2-77.2
No	213	26.3	22.8-29.8
+14 Days: stress, depression, emotions			
Yes	45	6.7	4.6-8.9
No	679	93.3	91.1-95.4
Current Smokers			
Yes	119	17.0	13.8-20.1
No	614	83.0	79.9-86.2
Binge drinkers			
Yes	122	18.4	15.1-21.7
No	606	81.6	78.3-84.9
Disability			
Yes	174	22.1	18.8-25.3
No	547	77.9	74.7-81.2

Table Type	Distribution of characteristics among persons with risk factor
Definition:	R3: At Risk For Obesity: Respondents with BMI greater than or equal to 30
Denominator:	Respondents who are currently obese

R1: At Risk For No Blood Stool Test In Two Years

Selected Characteristics Of Respondents With No Blood Stool Test In Two Years (Respondents Ages 50+), 2004			
Characteristics	# with no blood stool test	Among respondents with no blood stool test, % distribution by subgroup	95% Confidence Interval
Total	1123	100	
Age Group (years)			
45 – 54	267	23.2	20.6-25.9
55 – 64	370	32.8	29.8-35.7
65+	486	44.0	40.9-47.1
Sex			
Male	458	44.7	41.5-47.8
Female	665	55.3	52.1-58.4
Race			
White	1066	95.9	94.5-97.2
Amer. Indian	18	1.9	0.9-2.8
Other	22	2.2	1.2-3.2
Education			
Less than H.S.	150	13.8	11.5-16.1
H.S. Grad	363	31.6	28.7-34.5
Some College	330	30.2	27.3-33.1
College Grad	277	24.4	21.7-27.1
Household Income			
\$0 – 14,999	113	10.2	8.2-12.3
\$15,000 – 24,999	196	19.8	17.1-22.4
\$25,000 – 49,999	357	38.9	35.5-42.2
\$50,000 – 74,999	147	16.7	14.1-19.3
\$75,000+	126	14.4	11.9-16.8
Marital Status			
Married	656	68.6	65.9-71.3
Divorced	145	9.3	7.7-10.9
Widowed	249	17.1	14.9-19.2
Separated	8	0.4	0.1-0.8
Never Married	58	3.9	2.8-5.0
Member of Unmarried Couple	6	0.7	0.1-1.3

Employment			
Employed	586	52.5	49.3-55.7
Not Employed	27	2.3	1.3-3.2
Student/Homeworker	86	8.1	6.3-9.9
Retired/Unable to Work	418	37.1	34.1-40.2
Health Plan			
Health Coverage	1027	91.6	89.7-93.4
Don't Have Coverage	91	8.4	6.5-10.2
Other variables			
Personal Provider			
Yes, only one	838	74.3	71.5-77.0
More than one	109	10.6	8.6-12.6
No	169	15.1	12.8-17.4
Overweight or Obese			
Yes	722	69.2	66.2-72.2
No	341	30.8	27.8-33.7
Disability			
Yes	261	23.3	20.6-25.9
No	847	76.7	74.0-79.4
Current Smokers			
Yes	166	14.2	12.0-16.4
No	955	85.8	83.6-87.9

Table Type	Distribution of characteristics among persons with risk factor
Definition:	R1: At Risk For No Blood Stool Test In Two Years: Respondents with no blood stool test in two years by using a home kit among those age 40 and older
Denominator:	Respondents with no blood stool test in two years among those age 40 and older

R1: At Risk For Diabetes

Selected Characteristics Of Respondents Ever Told Had Diabetes, 2004			
Characteristics	# who have diabetes	Among respondents who have diabetes, % distribution by subgroup	95% Confidence Interval
Total	213	100	
Age Group (years)			
18 – 24	-	-	-
25 – 34	2	2.5	0-6.9
35 – 44	14	7.7	3.6-11.8
45 – 54	43	20.7	14.5-26.9
55 – 64	40	18.6	12.9-24.2
65+	113	50.5	43.2-57.8
Sex			
Male	96	52.4	44.9-59.8
Female	117	47.6	40.1-55.1
Race			
White	187	87.1	81.0-93.1
Amer. Indian	14	9.3	3.5-15.0
Other	8	3.6	1.0-6.3
Education			
Less than H.S.	42	20.8	14.5-27.1
H.S. Grad	68	31.9	24.9-38.8
Some College	60	28.1	21.1-35.2
College Grad	43	19.2	13.5-24.9
Household Income			
\$0 – 14,999	43	17.8	12.4-23.1
\$15,000 – 24,999	37	19.0	12.9-25.1
\$25,000 – 49,999	74	43.3	35.2-51.5
\$50,000 – 74,999	17	10.3	5.3-15.3
\$75,000+	15	9.6	4.7-14.5
Marital Status			
Married	96	55.7	48.4-63.0
Divorced	33	11.4	7.3-15.5
Widowed	60	21.4	16.0-26.8
Separated	1	0.4	0-1.1
Never Married	21	8.2	4.3-12.2
Member of Unmarried Couple	2	2.9	0-7.4

Employment			
Employed	84	40.1	32.7-47.4
Not Employed	7	5.0	0.2-9.9
Student/Homeworker	17	9.3	4.6-13.9
Retired/Unable to Work	104	45.6	38.1-53.1
Health Plan			
Health Coverage	188	86.6	80.5-92.7
Don't Have Coverage	24	13.4	7.3-19.5
Other variables			
Disability			
Yes	74	32.5	25.5-39.5
No	133	67.5	60.5-74.5
Current Smokers			
Yes	33	15.3	9.3-21.2
No	179	84.7	78.8-90.7
Binge Drinkers			
Yes	13	8.8	3.2-14.4
No	198	91.2	85.6-96.8
No Leisure Time Physical Activity(PA)			
Yes (Had PA)	131	64.6	57.5-71.6
No	81	35.4	28.4-42.5

Table Type	Distribution of characteristics among persons with risk factor
Definition:	R1: At Risk For Diabetes: Respondents ever told had diabetes
Denominator:	Respondents ever told had diabetes

R1: At Risk For Disability

Selected Characteristics Of Respondents With A Disability, 2004			
Characteristics	# with disability	Among respondents with current disability, % distribution by subgroup	95% Confidence Interval
Total	503	100	
Age Group (years)			
18 – 24	11	4.8	1.8-7.8
25 – 34	31	7.6	4.8-10.3
35 – 44	54	11.1	8.0-14.2
45 – 54	103	19.3	15.6-23.0
55 – 64	106	18.8	15.3-22.4
65+	196	38.4	33.7-43.1
Sex			
Male	204	46.2	41.3-51.1
Female	299	53.8	48.9-58.7
Race			
White	460	92.2	89.5-94.9
Amer. Indian	18	4.6	2.3-6.8
Other	17	3.2	1.6-4.8
Education			
Less than H.S.	61	12.5	9.1-15.7
H.S. Grad	140	28.6	24.1-33.1
Some College	167	33.0	28.5-37.6
College Grad	133	25.9	21.7-30.1
Household Income			
\$0 – 14,999	87	15.3	11.8-18.6
\$15,000 – 24,999	104	24.7	20.2-29.3
\$25,000 – 49,999	144	35.9	30.8-41.1
\$50,000 – 74,999	49	11.5	8.3-14.7
\$75,000+	52	12.6	9.1-16.0
Marital Status			
Married	265	63.0	58.4-67.5
Divorced	77	11.3	8.6-14.1
Widowed	95	13.8	10.9-16.6
Separated	3	0.5	0-1.0
Never Married	54	9.9	6.8-13.1

Member of Unmarried Couple	6	1.5	0.2-2.8
Employment			
Employed	224	46.9	42.1-51.8
Not Employed	16	3.1	1.4-4.9
Student/Homeworker	35	8.0	5.3-10.8
Retired/Unable to Work	228	41.9	37.2-46.6
Health Plan			
Health Coverage	453	87.8	84.1-91.4
Don't Have Coverage	48	12.2	8.6-15.9
Diabetes			
Yes	74	12.7	9.6-15.7
Only during pregnancy	5	1.0	0.05-1.9
No	419	85.3	82.0-88.5
No, pre-diabetes	5	1.0	0.09-2.1
Current Smoking			
Yes	98	19.6	15.7-23.6
No	405	80.4	76.4-84.3
Binge drinking			
Yes	42	9.0	6.1-11.8
No	454	91.0	88.2-93.7
Overweight or Obese			
Yes	342	73.2	68.7-77.7
No	130	26.8	22.3-31.3
Asthma			
Yes	97	19.4	15.5-23.3
No	405	80.6	76.6-84.5
General Health			
Excellent, very good, good	306	61.5	56.7-66.3
Fair, poor	193	38.5	33.7-43.3

Table Type	Distribution of characteristics among persons with risk factor
Definition:	R1: At Risk For Disability: Respondents who reported being limited in any activities due to physical, mental or emotional problems

Denominator:	Respondents with a disability
--------------	-------------------------------

R1: At Risk For Not Told Condom Use Prevents STDs

Selected Characteristics Of Respondents Who Were Not Told About Preventing Sexually Transmitted Diseases Through Condom Use (Respondents 18-64)*, 2004			
Characteristics	# who were not told about STDs and condom use	Among respondents who were not told about STDs and condom use, % distribution by subgroup	95% Confidence Interval
Total	2109	100	
Age Group (years)			
18 – 24	132	14.5	12.0-16.9
25 – 34	354	19.1	17.2-21.0
35 – 44	530	24.1	22.1-26.1
45 – 54	637	25.3	23.3-27.2
55 – 64	445	17.0	15.4-18.6
Sex			
Male	964	52.6	50.1-55.0
Female	1145	47.4	44.9-49.8
Race			
White	1980	93.0	91.4-94.5
Amer. Indian	57	3.4	2.2-4.6
Other	63	3.6	2.6-4.7
Education			
Less than H.S.	68	3.7	2.6-4.9
H.S. Grad	582	28.1	25.8-30.3
Some College	746	36.2	33.7-38.6
College Grad	710	32.0	29.8-34.2
Household Income			
\$0 – 14,999	133	6.9	5.4-8.3
\$15,000 – 24,999	276	14.0	12.2-15.7
\$25,000 – 49,999	740	37.7	35.2-40.2
\$50,000 – 74,999	439	23.2	21.1-25.3
\$75,000+	344	18.2	16.3-20.2
Marital Status			
Married	1389	67.6	65.2-70.1
Divorced	291	9.1	8.0-10.3
Widowed	51	1.2	0.9-1.6
Separated	19	0.5	0.2-0.8

Never Married	310	18.4	16.0-20.7
Unmarried Couple	43	3.2	2.1-4.2
Employment			
Employed	1751	82.7	80.7-84.7
Not Employed	58	3.1	1.9-4.2
Student/Homeworker	164	9.4	7.8-11.1
Retired/Unable to Work	133	4.8	3.9-5.6
Health Plan			
Health Coverage	1812	83.7	81.7-85.8
Don't Have Coverage	292	16.3	14.2-18.3
Other variables			
Personal Provider			
Yes, only one	1385	61.9	59.5-64.4
More than one	225	11.1	9.5-12.7
No	492	27.0	24.6-29.3
High Risk Situation[†]			
Yes	37	2.1	1.2-2.9
No	2072	97.9	97.1-98.8
Ever Tested for HIV			
Yes	492	24.3	22.2-26.4
No	1567	75.7	73.6-77.8
Available Treatment for HIV Infection			
Yes	1892	97.4	96.3-98.6
No	35	2.6	1.3-3.7

* Respondents who reported that no health professional talked to them about preventing sexually transmitted diseases through condom use in the past 12 months.

[†] You have used intravenous drugs in the past year. You have been treated for a sexually transmitted or venereal disease in the past year. You have given or received money or drugs in exchange for sex in the past year. You had anal sex without a condom in the past year.

Table Type	Distribution of characteristics among persons with risk factor
Definition:	R1: At Risk For Not Told Condom Use Prevents STDs: Respondents who were not told about preventing sexually transmitted diseases through condom use (respondents 18-64)
Denominator:	Respondents who were not told about preventing sexually

	transmitted diseases through condom use (respondents 18-64)
--	---

R2: At Risk For Ever Tested For HIV

Selected Characteristics Of Respondents Ever Tested For HIV*, 2004			
Characteristics	# who tested for HIV	Among respondents who tested for HIV, % distribution by subgroup	95% Confidence Interval
Total	581	100	
Age Group (years)			
18 – 24	65	21.9	16.9-26.7
25 – 34	188	33.6	29.3-38.0
35 – 44	171	25.7	21.9-29.4
45 – 54	111	13.3	10.7-15.8
55 – 64	44	5.5	3.7-7.3
65+	-	-	-
Sex			
Male	235	46.8	42.0-51.5
Female	346	53.2	48.4-57.9
Race			
White	517	88.5	85.3-91.7
Amer. Indian	33	6.2	3.8-8.6
Other	28	5.3	3.0-7.5
Education			
Less than H.S.	20	4.0	1.9-5.9
H.S. Grad	126	24.2	20.1-28.3
Some College	220	37.2	32.7-41.8
College Grad	214	34.6	30.2-39.0
Household Income			
\$0 – 14,999	50	8.5	5.6-11.3
\$15,000 – 24,999	83	16.6	12.7-20.6
\$25,000 – 49,999	221	40.9	36.1-45.7
\$50,000 – 74,999	106	20.1	16.4-23.7
\$75,000+	77	13.9	10.7-17.0
Marital Status			
Married	344	62.5	57.8-67.2
Divorced	99	10.5	8.2-12.8
Widowed	9	0.7	0.2-1.2
Separated	8	0.9	0.2-1.5
Never Married	96	18.8	14.6-23.0
Member of Unmarried	23	6.6	3.6-9.4

Couple			
Employment			
Employed	473	82.0	78.4-85.5
Not Employed	23	3.6	1.7-5.6
Student/Homeworker	57	10.4	7.6-13.2
Retired/Unable to Work	27	4.0	2.3-5.6
Health Plan			
Health Coverage	486	81.0	76.9-85.0
Don't Have Coverage	95	19.0	15.0-23.0
Other variables			
High Risk Situations‡			
Yes	29	5.6	3.1-8.1
No	542	94.4	91.8-96.9
Current Smokers			
Yes	161	28.0	23.6-32.3
No	418	72.0	67.7-76.4
Binge Drinkers			
Yes	125	27.0	22.4-31.6
No	453	73.0	68.4-77.6
No Leisure Time Physical Activity			
Yes	480	83.3	79.7-86.9
No	101	16.7	13.1-20.3

* Respondents who reported they tested for HIV (without counting tests they may have had as part of a blood donation).

‡ You have used intravenous drugs in the past year or you have been treated for a sexually transmitted or venereal disease in the past year or you have given or received money or drugs in exchange for sex in the past year or you had anal sex without a condom in the past year.

Table Type	Distribution of characteristics among persons with risk factor
Definition:	R2: At Risk For Ever Tested For HIV: Respondents who reported ever being tested for HIV among those less than age 65
Denominator:	Respondents ever tested for HIV among those less than age 65

R1: At Risk For No Health Insurance

Selected Characteristics Of Respondents Who Have No Health Insurance, 2004			
Characteristics	# with no health insurance	Among respondents with no health insurance, % distribution by subgroups	95% Confidence Interval
Total	342	100	
Age Group (years)			
18 – 24	46	29.0	21.6-36.3
25 – 34	69	21.0	16.0-26.1
35 – 44	73	17.0	12.9-21.2
45 – 54	79	16.8	12.7-20.8
55 – 64	58	12.0	8.6-15.3
65+	16	4.2	1.7-6.7
Sex			
Male	183	62.0	55.9-68.0
Female	159	38.0	32.0-44.1
Race			
White	288	81.4	75.4-87.3
Amer. Indian	32	11.5	6.4-16.6
Other	18	7.1	3.2-11.1
Education			
Less than H.S.	40	14.4	8.9-19.9
H.S. Grad	153	45.4	38.8-52.0
Some College	95	26.4	20.7-32.0
College Grad	54	13.8	9.9-17.7
Household Income			
\$0 – 14,999	52	15.5	10.4-20.7
\$15,000 – 24,999	110	34.5	28.1-40.8
\$25,000 – 49,999	109	38.4	31.6-45.0
\$50,000 – 74,999	24	6.7	4.0-9.5
\$75,000+	13	4.9	1.7-8.2
Marital Status			
Married	158	44.5	38.1-50.9
Divorced	67	12.6	9.2-16.1
Widowed	13	2.7	0.8-4.6
Separated	7	0.9	0.1-1.7
Never Married	79	31.6	24.6-38.6

Member of Unmarried Couple	16	7.7	3.7-11.7
Employment			
Employed	241	72.0	65.9-78.1
Not Employed	28	9.2	4.3-14.1
Student/Homeworker	40	11.7	7.8-15.5
Retired/Unable to Work	31	7.1	4.2-10.1
Disability			
Yes	48	13.7	9.5-18.0
No	282	86.3	82.0-90.5
Diabetes			
Yes	24	5.9	3.0-8.8
Only during pregnancy	4	0.6	0-1.3
No	311	92.7	89.6-95.8
No, pre-diabetic	3	0.8	0-1.9
General Health			
Excellent, very good, good	282	81.1	75.8-86.3
Fair, poor	60	18.9	13.7-24.2
Mammogram in 2 Years			
Yes	37	38.5	27.3-49.7
No	59	61.5	50.3-72.7
PAP Test in 3 Years			
Yes	80	71.9	62.6-81.3
No	38	28.1	18.7-37.4
Had Sigmoid/Colono			
Yes	28	27.3	17.6-36.9
No	75	72.7	63.0-82.4
Current Smokers			
Yes	132	39.7	33.2-46.1
No	207	60.3	53.9-66.8

Table Type	Distribution of characteristics among persons with risk factor
Definition:	R1: At Risk For No Health Insurance: Respondents who reported that they did not have any health care coverage

Denominator:	Respondents without health insurance
--------------	--------------------------------------

R2: At Risk For No Personal Health Care Provider

Selected Characteristics Of Respondents With No Personal Health Care Provider, 2004			
Characteristics	# with no personal health care provider	Among respondents with no health care provider, % distribution by subgroup	% Confidence Interval
Total	617	100	
Age Group (years)			
18 – 24	78	27.2	22.0-32.4
25 – 34	125	21.5	17.8-25.2
35 – 44	140	18.9	15.7-22.2
45 – 54	135	16.5	13.5-19.5
55 – 64	74	8.5	6.4-10.5
65+	62	7.4	5.4-9.3
Sex			
Male	397	69.3	65.1-73.6
Female	220	30.7	26.4-34.9
Race			
White	563	89.3	85.7-92.9
Amer. Indian	21	4.9	2.1-7.7
Other	28	5.8	3.3-8.3
Education			
Less than H.S.	45	8.0	4.8-11.1
H.S. Grad	206	33.8	29.2-38.4
Some College	191	32.0	27.6-36.5
College Grad	175	26.2	22.3-30.2
Household Income			
\$0 – 14,999	63	11.4	7.8-14.9
\$15,000 – 24,999	123	21.3	17.3-25.3
\$25,000 – 49,999	211	38.9	34.0-43.7
\$50,000 – 74,999	93	15.9	12.7-19.2
\$75,000+	73	12.5	9.4-15.5
Marital Status			
Married	309	50.7	45.9-55.4
Divorced	99	9.9	7.7-12.1
Widowed	33	2.8	1.8-3.7
Separated	5	0.3	0-0.6
Never Married	147	30.7	25.7-35.8

Member of Unmarried Couple	20	5.6	3.0-8.1
Employment			
Employed	466	76.1	71.8-80.4
Not Employed	29	4.6	1.9-7.3
Student/Homeworker	58	12.4	8.9-15.8
Retired/Unable to Work	60	6.9	5.0-8.8
Health Plan			
Health Coverage	448	69.5	64.7-74.3
Don't Have Coverage	164	30.5	25.7-35.3
Disability			
Yes	55	7.5	5.3-9.7
No	543	92.5	90.3-94.7
Diabetes			
Yes	22	2.7	1.5-3.9
Only during pregnancy	3	0.5	0-1.0
No	591	96.7	95.2-98.0
General Health			
Excellent, very good, good	561	91.1	88.3-93.9
Fair, and poor	55	8.9	6.1-11.7
PAPTest in 3 Years			
Yes	120	71.7	63.8-79.6
No	57	28.3	20.4-36.2
Ever Had Sigmoid/Colonoscopy			
Yes	48	25.3	18.6-32.0
No	141	74.7	68.0-81.4
Mammogram in 2 Years			
Yes	39	32.1	22.9-41.3
No	82	67.9	58.6-77.1

Table Type	Distribution of characteristics among persons with risk factor
Definition:	R2: At Risk For No Personal Health Care Provider: Respondents who reported that they did not have one or more providers that they considered to be their personal health care provider
Denominator:	Respondents with no personal health care provider

R3: At Risk For No Health Care Due To Cost

Selected Characteristics Of Respondents Who Could Not See Dr. Because Of Cost , 2004			
Characteristics	# who could not see Dr. because of cost	Among respondents who could not see a Dr., % distribution by subgroup	95% Confidence Interval
Total	210	100	
Age Group (years)			
18 – 24	16	13.5	7.1-19.8
25 – 34	40	21.5	15.1-27.9
35 – 44	45	18.8	13.3-24.4
45 – 54	45	19.9	13.9-25.8
55 – 64	37	15.4	10.3-20.4
65+	27	10.9	6.6-15.3
Sex			
Male	76	42.2	34.6-49.8
Female	134	57.8	50.2-65.4
Race			
White	178	85.4	79.9-90.7
Amer. Indian	11	4.8	1.8-7.8
Other	18	9.8	5.1-14.5
Education			
Less than H.S.	20	8.9	4.6-13.2
H.S. Grad	77	37.7	30.3-45.2
Some College	72	35.7	28.4-43.0
College Grad	41	17.7	12.1-23.2
Household Income			
\$0 – 14,999	45	17.7	12.1-23.3
\$15,000 – 24,999	65	35.0	27.4-42.5
\$25,000 – 49,999	67	37.7	30.1-45.4
\$50,000 – 74,999	12	6.7	2.7-10.7
\$75,000+	4	2.9	0-5.7
Marital Status			
Married	101	56.2	48.7-63.7
Divorced	47	17.3	11.9-22.7
Widowed	17	5.6	2.8-8.4
Separated	5	1.4	0-2.8
Never Married	33	15.5	9.6-21.4
Member of Unmarried	6	4.0	0.7-7.2

Couple			
Employment			
Employed	135	66.9	59.9-73.9
Not Employed	16	5.9	2.7-9.0
Student/Homeworker	21	11.4	6.4-16.5
Retired/Unable to Work	38	15.8	10.5-21.0
Health Plan			
Health Coverage	122	54.0	46.3-61.7
Don't Have Coverage	88	46.0	38.3-53.6
Other variables			
Disability			
Yes	66	29.0	22.2-35.7
No	139	71.0	64.3-77.8
Diabetes			
Yes	22	9.0	5.2-12.9
Only during pregnancy	1	0.4	0-1.1
No	181	87.5	82.8-92.1
No, pre-diabetes or boarderline diabetes	6	3.1	0.5-5.8
Current smokers			
Yes	70	34.0	26.7-41.4
No	138	66.0	58.6-73.3
General Health			
Excellent, very good, good	149	72.9	66.2-79.7
Fair, poor	60	27.1	20.3-33.8
Asthma			
Yes	47	25.2	18.1-32.2
No	163	74.8	67.8-81.8
Overweight or obese			
Yes	137	68.2	60.6-75.7
No	61	31.8	24.3-39.3

Table Type	Distribution of characteristics among persons with risk factor
Definition:	R3: At Risk For No Health Care Access Due To Cost: Respondents who reported being unable to see a health care

	provider one or more times during the past year due to cost
Denominator:	Respondents who could not see doctor because of cost

R1: At Risk For Fair Or Poor General Health

Selected Characteristics Of Respondents With Fair Or Poor General Health Status, 2004			
Characteristics	# with fair or poor general health status	Among respondents with fair or poor general health status, % distribution by subgroup	95% Confidence Interval
Total	404	100	
Age Group (years)			
18 – 24	11	7.0	2.6-11.4
25 – 34	18	5.9	2.8-9.1
35 – 44	45	11.2	7.7-14.7
45 – 54	74	16.4	12.4-20.3
55 – 64	65	13.8	10.3-17.2
65+	188	45.7	40.2-51.3
Sex			
Male	164	46.9	41.2-52.7
Female	240	53.1	47.3-58.8
Race			
White	360	88.3	84.3-92.2
Amer. Indian	21	7.6	4.0-11.1
Other	17	4.1	2.0-6.3
Education			
Less than H.S.	103	26.9	21.7-32.0
H.S. Grad	142	34.9	29.4-40.3
Some College	95	24.0	19.0-29.0
College Grad	63	14.2	10.6-17.8
Household Income			
\$0 – 14,999	86	20.3	15.6-24.9
\$15,000 – 24,999	112	31.8	26.2-37.4
\$25,000 – 49,999	106	33.9	27.8-40.0
\$50,000 – 74,999	27	7.3	4.3-10.3
\$75,000+	21	6.7	3.8-9.6
Marital Status			
Married	183	53.8	48.2-59.4
Divorced	67	12.3	9.1-15.6
Widowed	92	17.1	13.4-20.9
Separated	8	1.3	0.3-2.3

Never Married	49	13.5	8.8-18.0
Member of Unmarried Couple	5	2.0	0-4.3
Employment			
Employed	155	40.7	35.0-46.5
Not Employed	15	4.0	1.3-6.6
Student/Homeworker	36	10.8	7.2-14.5
Retired/Unable to Work	194	44.5	38.9-50.0
Health Plan			
Health Coverage	341	79.1	73.6-84.5
Don't Have Coverage	60	20.9	15.5-26.3
Other variables			
Diabetes			
Yes	80	18.5	14.1-22.8
Only during pregnancy	5	1.2	0.1-2.3
No	311	78.3	73.7-82.9
No, pre-diabetic	8	2.0	0.5-3.6
Current Smoking			
Yes	78	19.0	14.4-23.6
No	325	81.0	76.3-85.6
Binge Drinkers			
Yes	43	11.9	7.9-15.8
No	357	88.1	84.2-92.1
Overweight or Obese			
Yes	279	75.3	70.4-80.3
No	102	24.7	19.8-29.6
Could Not See Dr. Because of Cost			
Yes	60	15.0	11.0-19.1
No	340	85.0	80.9-89.0

Table Type	Distribution of characteristics among persons with risk factor
Definition:	R1: At Risk For Poor Or Fair Health: Respondents who reported that their general health was fair or poor
Denominator:	Respondents With Fair Or Poor Health

R2: At Risk For No Dental Care Within The Past Year

Selected Characteristics Of Respondents Who Have Not Visited A Dentist, Dental Hygienist Or Dental Clinic Within the Past Year, 2004			
Characteristics	# with no visit to a dentist or dental hygienist	Among respondents with no visit, % distribution by subgroup	95% Confidence Interval
Total	931	100	
Age Group (years)			
18 – 24	65	16.2	12.4-19.9
25 – 34	133	16.2	13.5-18.9
35 – 44	163	17.4	14.7-20.1
45 – 54	171	15.2	12.8-17.6
55 – 64	131	11.7	9.6-13.8
65+	263	23.3	20.5-26.2
Sex			
Male	449	55.4	51.7-59.0
Female	482	44.6	40.9-48.3
Race			
White	844	89.7	87.0-92.3
Amer. Indian	34	4.8	3.0-6.6
Other	37	5.5	3.4-7.6
Education			
Less than H.S.	126	12.4	10.1-14.8
H.S. Grad	328	35.5	31.8-39.1
Some College	281	31.4	27.8-34.9
College Grad	194	20.7	17.7-23.6
Household Income			
\$0 – 14,999	130	13.7	10.8-16.6
\$15,000 – 24,999	195	23.0	19.7-26.3
\$25,000 – 49,999	314	41.4	37.4-45.3
\$50,000 – 74,999	112	15.0	12.2-17.7
\$75,000+	53	6.9	4.9-8.9
Marital Status			
Married	466	55.7	52.0-59.4
Divorced	157	11.7	9.7-13.7
Widowed	133	9.2	7.5-10.9
Separated	12	0.7	0.3-1.2
Never Married	132	17.5	14.1-20.9

Member of Unmarried Couple	28	5.2	3.1-7.2
Employment			
Employed	580	66.8	63.3-70.2
Not Employed	29	3.2	1.7-4.7
Student/Homeworker	79	9.4	7.1-11.6
Retired/Unable to Work	236	20.6	17.9-23.3
Health Plan			
Health Coverage	752	77.3	73.8-80.8
Don't Have Coverage	178	22.7	19.2-26.2
Other variables			
Disability			
Yes	189	18.1	15.4-20.8
No	721	81.9	79.2-84.6
General Health			
Excellent, very good, good	757	82.1	79.2-84.9
Fair, poor	171	17.9	15.0-20.8
Overweight or Obese			
Yes	590	65.7	61.9-69.4
No	296	34.3	30.6-38.1
Current Smoking			
Yes	242	28.9	25.3-32.5
No	688	71.1	67.5-74.7

Table Type	Distribution of characteristics among persons with risk factor
Definition:	R1: At Risk For No Dental Care Within The Past Year: Respondents who have not visited a dentist, dental hygienist, or dental clinic within the past year
Denominator:	Respondents who have not visited a dentist, dental hygienist, or dental clinic within the last year

R4: At Risk For No Leisure Physical Activity

**Selected Characteristics Of Respondents
At Risk for Rec. Physical Activity*, 2004**

Characteristics	# at risk for rec. physical activity	Among respondents at risk for rec. physical activity, % distribution by subgroup	95% Confidence Interval
Total	707	100	
Age Group (years)			
18 – 24	31	11.4	7.0-15.7
25 – 34	66	10.7	8.1-13.3
35 – 44	102	14.0	11.2-16.8
45 – 54	135	17.0	14.0-19.9
55 – 64	108	13.1	10.5-15.7
65+	260	33.8	30.0-37.7
Sex			
Male	336	54.5	50.2-58.8
Female	371	45.5	41.2-49.7
Race			
White	639	90.0	86.3-93.6
Amer. Indian	17	3.8	1.0-6.7
Other	33	6.2	3.6-8.8
Education			
Less than H.S.	106	15.1	11.6-18.7
H.S. Grad	263	38.0	33.7-42.2
Some College	206	28.9	25.0-32.7
College Grad	130	18.0	14.8-21.2
Household Income			
\$0 – 14,999	109	15.1	11.8-18.4
\$15,000 – 24,999	163	27.2	23.1-31.3
\$25,000 – 49,999	219	36.6	32.2-41.0
\$50,000 – 74,999	75	13.4	10.4-16.5
\$75,000+	49	7.6	5.4-9.8
Marital Status			
Married	343	55.4	51.1-59.7
Divorced	115	12.1	9.7-14.5
Widowed	140	14.4	11.8-16.9
Separated	5	0.5	0.03-1.0
Never Married	90	14.6	10.7-18.5
Member of Unmarried	11	3.0	0.9-5.0

Couple			
Employment			
Employed	393	58.6	54.3-62.9
Not Employed	25	4.7	1.8-7.5
Student/Homeworker	52	7.6	5.4-9.8
Retired/Unable to Work	231	29.1	25.5-32.8
Health Plan			
Health Coverage	604	81.7	77.5-85.9
Don't Have Coverage	98	18.3	14.0-22.5
Other variables			
Disability			
Yes	215	27.9	24.2-31.5
No	473	72.1	68.4-75.8
Current Smoking			
Yes	522	26.6	22.7-30.5
No	182	73.4	69.5-77.3
Overweight or Obese			
Yes	470	71.1	67.0-75.1
No	198	28.9	24.9-32.9
Current Asthma			
Yes	97	13.0	10.2-15.8
No	610	87.0	84.1-89.8
General Health			
Excellent, very good, or good	516	75.7	72.2-79.2
Fair or good	188	24.3	20.8-27.8

*No physical activity or exercise during the past month other than the respondent's regular job.

Table Type	Distribution of characteristics among persons with risk factor
Definition:	R4: At Risk For No Leisure Physical Activity: Respondents who reported that they did no leisure time physical activity
Denominator:	Respondents at risk for rec. physical activity

R1: At Risk For No PSA In Two Years

Selected Characteristics Of Respondents With No PSA In Two Years (Men Respondents 40+), 2004			
Characteristics	# with no PSA	Among respondents with no PSA, % distribution by subgroup	95% Confidence Interval
Total	471	100	
Age Group (years)			
40 – 44	118	26.8	22.3-31.2
45 – 54	192	41.5	36.7-46.4
55 – 64	85	15.2	11.9-18.5
65+	76	16.5	12.9-20.1
Race			
White	446	95.6	93.5-97.6
Amer. Indian	9	2.2	0.7-3.6
Other	11	2.2	0.8-3.7
Education			
Less than H.S.	47	10.1	7.1-13.1
H.S. Grad	166	33.9	29.3-38.6
Some College	142	31.1	26.6-35.6
College Grad	116	24.9	20.6-29.1
Household Income			
\$0 – 14,999	29	5.2	3.1-7.3
\$15,000 – 24,999	77	17.0	13.2-20.8
\$25,000 – 49,999	163	36.3	31.5-41.2
\$50,000 – 74,999	83	21.7	17.3-26.0
\$75,000+	78	19.8	15.6-23.9
Marital Status			
Married	290	71.6	67.5-75.7
Divorced	82	12.3	9.5-15.1
Widowed	21	3.2	1.8-4.6
Separated	5	0.8	0.06-1.5
Never Married	65	10.1	7.4-12.8
Member of Unmarried Couple	8	2.0	0.6-3.4
Employment			
Employed	364	79.1	75.2-82.9
Not Employed	12	2.3	0.9-3.7
Student/Homeworker	2	0.4	0-0.9

Retired/Unable to Work	92	18.2	14.6-21.9
Health Plan			
Health Coverage	393	84.7	81.3-88.2
Don't Have Coverage	76	15.3	11.8-18.7
Other variables			
Personal Provider			
Yes, only one	254	55.1	50.3-59.8
More than one	41	9.6	6.6-12.6
No	176	35.3	30.7-39.9
Current smokers			
Yes	127	25.9	21.6-30.2
No	343	74.1	69.8-78.3
Disability			
Yes	71	15.1	11.6-18.7
No	388	84.9	81.3-88.4

Table Type	Distribution of characteristics among persons with risk factor
Definition:	R1: At Risk For No PSA In Two Years, Respondents with no PSA in two years (respondents men 40+)
Denominator:	Respondents with no PSA in two years (respondents men 40+)

R1: At Risk For Sun Exposure

Selected Characteristics of Respondents Who Had A Sunburn Within The Past 12 Months, 2004			
Characteristics	# who had a sunburn within the past 12 months	Among respondents with sunburn in the past 12 months, % distribution by subgroup	95% Confidence Interval
Total	1170	100	
Age Groups (years)			
18 – 24	123	22.9	19.3-26.4
25 – 34	256	22.4	19.7-25.1
35 – 44	341	25.3	22.6-27.9
45 – 54	272	18.4	16.2-20.7
55 – 64	119	7.7	6.3-9.1
65 +	54	3.3	2.4-4.3
Sex			
Male	577	55.6	52.3-58.9
Female	593	44.4	41.1-47.7
Race			
White	1115	95.6	94.1-97.1
Amer. Indian	22	2.3	1.2-3.4
Other	25	2.1	1.2-3.1
Education			
Less than H.S.	36	2.9	1.9-4.0
H.S. Grad	301	27.3	24.1-30.3
Some College	411	36.9	33.6-40.2
College Grad	421	32.9	29.9-35.9
Household Income			
\$0 – 14,999	58	6.9	4.7-9.1
\$15,000 – 24,999	143	13.7	11.2-16.2
\$25,000 – 49,999	420	38.5	35.1-41.9
\$50,000 – 74,999	265	23.9	21.1-26.7
\$75,000+	182	17.0	14.4-19.6
Marital Status			
Married	737	61.2	57.8-64.6
Divorced	142	7.4	6.1-8.8
Widowed	37	1.6	1.1-2.2
Separated	6	0.3	0.04-0.5
Never Married	209	24.8	21.4-28.3

Member of Unmarried Couple	35	4.7	3.0-6.3
Employment			
Employed	966	80.7	77.8-83.6
Not Employed	26	2.1	1.1-3.0
Student/Homeworker	107	13.2	10.5-15.9
Retired/Unable to Work	68	4.0	3.0-5.1
Health Plan			
Health Coverage	1032	86.5	84.0-89.0
Don't Have Coverage	134	13.5	11.0-16.0
Disability			
Yes	132	9.4	7.7-11.2
No	1017	90.6	88.8-92.3
Current smokers			
Yes	248	21.9	19.1-24.8
No	919	78.1	75.2-80.9
General Health			
Excellent, very good, or good	1086	93.3	91.6-95.0
Fair or poor	83	6.7	5.0-8.4
Personal Provider			
Yes, only one	766	61.4	58.0-64.7
More than one	121	11.0	8.8-13.3
No	281	27.6	24.4-30.7
Overweight or Obese			
Yes	713	62.0	58.5-65.4
No	406	38.0	34.6-41.5

Table Type	Distribution of characteristics among persons with risk factor
Definition:	R1: At Risk For Sun Exposure: Respondents who had a sunburn within the past 12 months
Denominator:	Respondents who had a sunburn within the past 12 months

R1: At Risk For Current Smoking

**Selected Characteristics Of Respondents
Who Are Current Smokers, 2004**

Characteristics	# of smokers	Among current smokers, % distribution by subgroup	95% Confidence Interval
Total	580	100	
Age Group (years)			
18 – 24	56	22.4	17.1-27.6
25 – 34	108	20.4	16.6-24.2
35 – 44	137	19.9	16.5-23.4
45 – 54	141	19.1	15.7-22.5
55 – 64	78	10.7	8.2-13.2
65+	56	7.5	5.3-9.6
Sex			
Male	301	59.6	55.0-64.2
Female	279	40.4	35.7-45.0
Race			
White	522	87.1	83.4-90.8
Amer. Indian	35	8.0	5.0-11.1
Other	21	4.9	2.4-7.4
Education			
Less than H.S.	44	7.2	4.9-9.6
H.S. Grad	213	36.4	31.7-41.1
Some College	223	41.0	36.1-45.8
College Grad	99	15.4	12.1-18.6
Household Income			
\$0 – 14,999	72	13.1	9.2-16.9
\$15,000 – 24,999	115	20.1	16.1-24.1
\$25,000 – 49,999	208	40.0	35.1-45.0
\$50,000 – 74,999	88	17.3	13.6-20.9
\$75,000+	48	9.5	6.5-12.6
Marital Status			
Married	283	52.1	47.2-56.9
Divorced	120	14.0	11.2-16.8
Widowed	37	3.5	2.3-4.7
Separated	9	0.8	0.2-1.3
Never Married	93	20.2	15.6-24.9
Member of Unmarried Couple	34	9.4	6.0-12.7

Employment			
Employed	443	77.6	73.4-81.8
Not Employed	23	4.6	2.1-7.1
Student/Homeworker	38	8.8	5.6-12.1
Retired/Unable to Work	73	9.0	6.7-11.2
Health Plan			
Health Coverage	448	74.0	69.3-78.6
Don't Have Coverage	132	26.0	21.4-30.7
Disability			
Yes	98	14.7	11.5-17.8
No	470	85.3	82.2-88.5
Diabetes			
Yes	33	4.5	2.6-6.4
Only during pregnancy	6	0.8	0.1-1.5
No	538	94.3	92.3-96.4
No,pre-diabetic/borderli	3	0.4	0-0.9
Binge Drinkers			
Yes	176	39.1	34.1-44.1
No	396	60.9	55.9-65.9
Overweight or Obese			
Yes	316	55.4	50.3-60.4
No	242	44.6	39.6-49.6
No Leisure time Physical Activity			
Yes	398	71.8	67.5-76.0
No	182	28.2	24.0-32.5
14 + Days: stress, depression, emotional			
Yes	59	10.0	7.2-13.1
No	517	90.0	86.9-92.8

Table Type	Distribution of characteristics among persons with risk factor
Definition:	R1: At Risk For Current Smoking: Respondents who reported that they had smoked at least 100 cigarettes in their life and smoked now some days or every day
Denominator:	Respondents who are current smokers

R4: At Risk For Not Quitting Smoking For A Day Or Longer

Selected Characteristics Of Respondents At Risk For Not Quitting Smoking For A Day Or Longer, 2004			
Characteristics	# at risk for not quitting smoking for a day or longer	Among respondents at risk, % distribution by subgroup	95% Confidence Interval
Total	294	100	
Age Group (years)			
18 – 24	20	16.4	9.5-23.4
25 – 34	50	19.6	14.3-24.8
35 – 44	68	20.4	15.5-25.3
45 – 54	74	21.9	16.6-27.2
55 – 64	45	11.9	8.3-15.5
65+	35	9.8	6.2-13.3
Sex			
Male	160	61.7	55.4-68.0
Female	134	38.3	31.9-44.6
Race			
White	266	87.8	82.8-92.7
Amer. Indian	17	7.5	3.8-11.2
Other	10	4.7	1.1-8.3
Education			
Less than H.S.	26	9.1	5.2-13.0
H.S. Grad	119	39.3	32.7-45.9
Some College	101	37.2	30.5-43.9
College Grad	47	14.4	9.9-18.8
Household Income			
\$0 – 14,999	30	10.1	5.2-14.9
\$15,000 – 24,999	53	17.6	12.4-22.8
\$25,000 – 49,999	120	45.1	38.1-52.1
\$50,000 – 74,999	44	17.3	12.1-22.5
\$75,000+	23	9.9	5.3-14.6
Marital Status			
Married	149	55.9	49.1-62.7
Divorced	66	15.4	11.3-19.5
Widowed	17	3.4	1.7-5.1
Separated	3	0.5	0-1.0
Never Married	43	16.9	11.0-22.9
Member of Unmarried	15	7.9	3.5-12.3

Couple			
Employment			
Employed	222	79.6	74.4-84.7
Not Employed	14	3.7	1.4-6.0
Student/Homeworker	16	6.2	2.7-9.7
Retired/Unable to Work	40	10.5	7.0-13.9
Health Plan			
Health Coverage	220	70.8	63.9-77.6
Don't Have Coverage	74	29.2	22.4-36.0
Disability			
Yes	42	13.7	9.1-18.2
No	248	86.3	81.8-90.9
Personal Doctor			
Yes, only one	158	47.6	40.9-54.4
More than one	21	7.8	4.2-11.3
No	109	44.6	37.6-51.6
Had Asthma			
Yes	30	9.7	5.7-13.7
No	264	90.3	86.3-94.3
Binge drinking			
Yes	78	32.2	25.4-39.0
No	210	67.8	60.9-74.5
Overweight or Obese			
Yes	147	50.7	43.8-57.7
No	132	49.3	42.3-56.2
General Health			
Excellent, very good, good	258	87.8	83.3-92.3
Fair, poor	36	12.2	7.7-16.6

Table Type	Distribution of characteristics among persons with risk factor
Definition:	R4: At Risk For Not Quitting Smoking For A Day Or Longer: Respondents who reported that they did not quit smoking for one day or longer during the past 12 months in order to quit smoking.
Denominator:	Respondents at risk for not quitting smoking for a day or longer

R1: At Risk For No Flu Shot In Past 12 Months

Selected Characteristics Of Respondents Who Had No Flu Shot In The Past 12 Months (Respondents 65+), 2004			
Characteristics	# who had no flu shot during the past 12 months	Among respondents at risk, % distribution by subgroup	95% Confidence Interval
Total	194	100	
Sex			
Male	67	40.0	32.2-47.7
Female	127	60.0	52.3-67.8
Race			
White	186	96.1	92.6-99.5
Amer. Indian	1	1.2	0-3.7
Other	6	2.7	0.2-5.2
Education			
Less than H.S.	55	29.6	22.4-36.8
H.S. Grad	68	32.0	24.9-39.0
Some College	45	23.5	16.9-30.1
College Grad	26	14.9	9.2-20.5
Household Income			
\$0 – 14,999	28	16.0	9.8-22.2
\$15,000 – 24,999	42	29.2	21.0-37.4
\$25,000 – 49,999	60	43.2	34.2-52.2
\$50,000 – 74,999	6	5.6	0.8-10.4
\$75,000+	7	6.0	1.5-10.5
Marital Status			
Married	78	52.4	44.8-60.1
Divorced	19	7.8	4.1-11.5
Widowed	83	32.4	25.8-39.1
Separated	-	-	-
Never Married	13	6.7	2.6-10.8
Member of Unmarried Couple	1	0.7	0-1.9
Employment			
Employed	39	22.1	15.3-28.9
Not Employed	2	1.1	0-2.6
Student/Homeworker	20	10.9	5.8-15.9
Retired/Unable to Work	132	65.9	58.3-73.5

Health Plan			
Health Coverage	189	97.3	94.4-100
Don't Have Coverage	4	2.7	0-5.6
Disability			
Yes	46	23.4	16.7-29.9
No	145	76.6	70.0-83.3
General Health			
Excellent, very good, or good	46	25.1	18.1-32.1
Fair or poor	147	74.8	67.8-81.8
Personal Provider			
Yes, only one	140	70.5	63.2-77.8
More than one	20	10.3	5.7-14.9
No	30	19.2	12.6-25.7
Had Pneumonia Vaccination			
Yes	71	37.8	30.1-45.5
No	113	62.2	54.5-69.9
Had Asthma			
Yes	14	7.5	3.4-11.5
No	180	92.5	88.5-96.6

Table Type	Distribution of characteristics among persons with risk factor
Definition:	R1: At Risk For not Flu Shot In Past 12 Months: Respondents who had no flu shot in the past 12 months (respondents 65+)
Denominator:	Respondents who had no flu shot in the past 12 months (respondents 65+)

R2: At Risk For Never Having Pneumococcal Vaccine

Selected Characteristics Of Respondents Who Never Had Pneumovac (Respondents 65+), 2004			
Characteristics	# who never had pneumovac	Among respondents never having pneumovac, % distribution by subgroup	95% Confidence Interval
Total	210	100	
Sex			
Male	77	41.4	33.8-48.9
Female	133	58.6	51.1-66.1
Race			
White	195	94.2	89.9-98.4
Amer. Indian	3	3.1	0-6.6
Other	6	2.7	0.3-5.1
Education			
Less than H.S.	66	34.0	26.6-41.5
H.S. Grad	78	35.2	28.1-42.2
Some College	41	19.1	13.2-24.9
College Grad	24	11.7	13.2-24.9
Household Income			
\$0 – 14,999	30	14.8	9.4-20.3
\$15,000 – 24,999	51	32.3	24.3-40.2
\$25,000 – 49,999	62	42.0	33.4-50.5
\$50,000 – 74,999	7	5.4	0.9-9.9
\$75,000+	7	5.5	1.4-9.6
Marital Status			
Married	80	47.6	40.0-55.1
Divorced	21	7.7	4.3-11.0
Widowed	93	37.3	30.1-44.5
Separated	-	-	-
Never Married	15	6.9	3.0-10.7
Member of Unmarried Couple	1	0.5	0-1.7
Employment			
Employed	55	26.1	19.5-32.8
Not Employed	1	0.6	0-1.7
Student/Homeworker	23	10.8	6.2-15.3
Retired/Unable to	130	62.5	55.2-69.8

Work			
Health Plan			
Health Coverage	199	93.4	88.4-98.3
Don't Have Coverage	10	6.6	1.7-11.6
Disability			
Yes	42	21.9	15.4-28.4
No	164	78.1	71.6-84.6
Had Asthma			
Yes	13	5.4	2.4-8.4
No	197	94.6	91.6-97.6
General Health			
Excellent, very good, good	161	72.1	64.8-79.4
Fair, poor	49	27.9	20.5-35.2
Had Flushot			
Yes	97	47.3	39.7-54.8
No	113	52.7	45.2-60.3
Personal Provider			
Yes, only one	157	73.3	66.6-80.1
More than one	23	11.7	6.9-16.5
No	27	15.0	9.3-20.7

Table Type	Distribution of characteristics among persons with risk factor
Definition:	R1: At Risk For Never Having Pneumococcal Vaccine: Respondents who never had pneumovac (respondents 65+)
Denominator:	Respondents who never had pneumovac (respondents 65+)

R1: At Risk For No Mammogram In Two Years

Selected Characteristics Of Respondents With No Mammogram In Two Years (Women Respondents Ages 40+), 2004			
Characteristics	# with no mammogram	Among respondents with no mammogram, % distribution by subgroup	95% Confidence Interval
Total	333	100	
Age Group (years)			
40 – 44	71	24.2	19.1-29.4
45 – 54	94	26.9	21.6-32.2
55 – 64	54	16.6	12.2-20.9
65+	114	32.3	26.9-37.6
Race			
White	307	93.7	90.6-96.8
Amer. Indian	9	2.5	0.4-4.5
Other	10	3.8	1.4-6.2
Education			
Less than H.S.	49	14.4	10.4-18.5
H.S. Grad	120	37.4	31.6-43.1
Some College	94	28.4	23.1-33.6
College Grad	69	19.8	15.1-24.5
Household Income			
\$0 – 14,999	52	16.2	11.7-20.7
\$15,000 – 24,999	70	25.5	19.7-31.2
\$25,000 – 49,999	92	33.7	27.6-39.9
\$50,000 – 74,999	31	13.3	8.5-17.9
\$75,000+	29	11.3	7.2-15.3
Marital Status			
Married	172	62.7	57.2-68.1
Divorced	46	10.4	7.1-13.7
Widowed	89	21.8	17.3-26.2
Separated	4	0.6	0-1.2
Never Married	17	3.2	1.6-4.8
Member of Unmarried Couple	3	1.3	0-2.7
Employment			
Employed	184	56.5	50.7-62.4

Not Employed	14	3.5	1.4-5.5
Student/Homeworker	46	16.3	11.7-20.9
Retired/Unable to Work	88	23.7	18.9-28.5
Health Plan			
Health Coverage	272	80.7	75.9-85.5
Don't Have Coverage	59	19.3	14.5-24.1
Other variables			
Personal Provider			
Yes, only one	221	67.8	62.3-73.3
More than one	27	8.2	5.0-11.5
No	82	24.0	18.9-29.0
Overweight or Obese			
Yes	188	62.1	56.2-67.9
No	121	37.9	32.0-43.8
Disability			
Yes	68	21.2	16.4-26.0
No	259	78.8	73.9-83.6

Table Type	Distribution of characteristics among persons with risk factor
Definition:	R1: At Risk For No Mammogram: Respondents with no mammogram in two years (women respondents 40+)
Denominator:	Respondents with no mammogram in two years (women respondents 40+)

R1: At Risk For No PAP In Three Years

Selected Characteristics Of Respondents With No PAP In Three Years (Women), 2004			
Characteristics	# with no PAP in 3 years	Among respondents with no PAP in 3 years, % distribution by subgroup	% Confidence Interval
Total	206	100	
Age Group (years)			
18 – 24	24	26.0	16.9-35.0
25 – 34	17	8.9	4.6-13.2
35 – 44	37	15.9	10.7-21.0
45 – 54	31	10.0	6.1-13.8
55 – 64	27	9.6	5.7-13.6
65+	70	29.6	22.5-36.7
Race			
White	191	93.3	89.5-96.9
Amer. Indian	8	3.3	0.8-5.8
Other	7	3.4	0.6-6.2
Education			
Less than H.S.	30	14.4	8.6-20.3
H.S. Grad	63	30.1	22.5-37.7
Some College	65	34.3	26.2-42.4
College Grad	47	21.2	14.8-27.5
Household Income			
\$0 – 14,999	40	22.4	14.6-30.2
\$15,000 – 24,999	40	22.0	14.7-29.3
\$25,000 – 49,999	54	31.4	22.6-40.1
\$50,000 – 74,999	19	12.3	6.4-18.2
\$75,000+	17	11.9	5.5-18.2
Marital Status			
Married	78	41.1	33.1-49.1
Divorced	25	8.1	4.6-11.6
Widowed	55	19.3	13.5-25.1
Separated	4	0.8	0-1.6
Never Married	42	29.2	20.4-38.0
Member of Unmarried Couple	2	1.5	0-3.7
Employment			

Employed	106	52.2	43.8-60.7
Not Employed	11	4.4	1.2-7.7
Student/Homeworker	32	20.7	13.1-28.3
Retired/Unable to Work	56	22.6	16.2-29.1
Health Plan			
Health Coverage	166	83.0	77.0-89.0
Don't Have Coverage	38	17.0	11.0-23.0
Other variables			
Personal Provider			
Yes, only one	123	59.6	51.3-67.9
More than one	25	13.4	7.5-19.3
No	57	27.0	19.4-34.6
Overweight or Obese			
Yes	108	52.0	43.4-60.7
No	88	48.0	39.3-56.6
Disability			
Yes	39	18.5	12.3-24.7
No	162	81.5	75.3-87.7
Current Smokers			
Yes	41	16.8	11.4-22.3
No	164	83.2	77.7-88.6

Table Type	Distribution of characteristics among persons with risk factor
Definition:	R1: At Risk For No PAP In Three Years: Respondents with no pap in three years (women)
Denominator:	Respondents with no pap in three years (women)